



# ABOUT US

Welcome To Avik Electro Pvt Ltd, The Leading Led Lighting Product Manufacturer And Provider Of Oem Services. With Our Expertise In The Industry And Our Commitment To Quality, We Proudly Present Our Brand, Torrent Led.

At Avik Electro, We Specialize In Manufacturing A Wide Range Of Top-notch Led Lighting Products For Various Applications. Whether You're Looking For Efficient And Reliable Lighting Solutions For Residential, Commercial, Or Industrial Purposes, Our Extensive Product Portfolio Caters To All Your Illumination Needs.

What Sets Us Apart From The Competition Is Our Unwavering Dedication To Delivering High-quality Led Lighting Solutions. Our Team Of Skilled Professionals, Equipped With State-of-the-art Facilities, Ensures That Every Product We Manufacture Adheres To The Highest Standards Of Performance, Durability, And Energy Efficiency. We Constantly Strive To Stay Ahead Of The Curve By Incorporating The Latest Technological Advancements In The Led Industry.

As a customer-centric company, we understand the importance of tailoring our offerings to meet the unique requirements of our clients. That's why we provide a comprehensive OEM service that allows you to customize our LED lighting products, ensuring they perfectly align with your vision and specifications. We pride ourselves on our ability to deliver unparalleled customization options, enabling you to create lighting solutions that match your brand identity and enhance the overall aesthetics of your space.

At Torrent led, we prioritize sustainability and employ eco-friendly manufacturing practices. By utilizing energy-efficient LED technology, our products help conserve energy, reduce carbon footprint, and contribute to a greener environment. We believe in the power of LED lighting to make a positive impact on the planet, and we are committed to being an environmentally responsible company.

When you choose Avik Electro as your LED lighting solutions provider, you can expect not only superior products but also exceptional service. Our dedicated and knowledgeable team is always available to assist you throughout the entire process, from product selection to after-sales support. We value the relationships we build with our clients and strive to exceed their expectations in every way.

Thank you for visiting our website, where innovation and quality converge to illuminate your path. Explore our product range, and let us help you bring your vision to life with Torrent led. Contact us to day to discuss your LED lighting needs, and let's embark on a journey to a brighter, more sustainable future together.

## MISSION & VISION

### Our Mission

At, **AVIK ELECTRO PVT LTD** our mission is to revolutionize the lighting industry by providing innovative and sustainable LED solutions. We are committed to delivering exceptional quality products that not only meet but exceed our customers' expectations. Our dedicated team of experts aims to illuminate the world with efficient and environmentally friendly lighting solutions.

### Our Vision

Our vision at **AVIK ELECTRO PVT LTD** is to be a global leader in the LED lighting industry, known for our cutting-edge technology, exceptional product quality, and outstanding customer service. We envision a world where LED lighting is the standard, contributing to a greener planet and a brighter future.

# CERTIFICATION

(Amended)

**Government of India**  
Form GST REG-06  
(See Rule 10(1))

Registration Certificate

Registration Number: 23AAUC286FZG

1. Legal Name	AVIK ELECTRO PRIVATE LIMITED
2. Trade Name, if any	AVIK ELECTRO PRIVATE LIMITED
3. Additional trade names, if any	
4. Constitution of Business	Private Limited Company
5. Address of Principal Place of Business	No.27, M.P. Rajya Karamchari Awas, Colony Mahal Gwalior City Centre, Gwalior, Madhya Pradesh, 474002
6. Date of Liability	
7. Date of Validity	From: 06/03/2021 To: Not Applicable
8. Type of Registration	Regular
9. Particulars of Approving Authority	
Signature	
Name	
Designation	
Authorizational Office	
9. Date of issue of Certificate	16/12/2022

Note: The registration certificate is required to be prominently displayed at all places of Business/Office in the State.

This is a system generated digitally signed Registration Certificate issued based on the deemed approval of application on 16/12/2022.

**Government of India**  
Ministry of Commerce and Industry / विपणन और उद्योग विभाग  
Directorate General of Foreign Trade / निर्यात प्रवर्धन विभाग  
Office of the Joint Director General of Foreign Trade, India, Sub-sector Manager, Bili, Sector 44, Connaught Place, A Wing, CGO Building, Connaught Area, DELHI, MARRYA PRADESH, 452001 / फोरेन ट्रेडिंग ऑफिस, बिलि, सेक्टर 44, कनॉट प्लेस, ए विंग, सीओ बिल्डिंग, कनॉट एरिया, दिल्ली, मध्य प्रदेश, 452001

**Importer-Exporter Code**

This is to certify that AVIK ELECTRO PRIVATE LIMITED is issued an Importer-Exporter Code (IEC) AAUCA286F with details as follows:-

IEC	AAUCA286F
निर्यात प्रवर्धन कोड (PAN)	AAUCA286F
निर्यात प्रवर्धन नाम	AVIK ELECTRO PRIVATE LIMITED
प्रकार की व्यवस्था (Nature of Concern)	Private Limited
निर्यात कोड का निर्धारणकर्ता (Issued by)	06662013
निर्यात पता (Registered Address)	27 RAJYA KARAMCHARI AWAS COLONY, GWALIOR, GWALIOR, GWALIOR, MARRYA PRADESH, 474002
निर्यातकर्ता का नाम (Name of the Signatory)	Vivek Sharma
निर्देशक / पार्टनर विवरण (Director / Partner Details)	Refer online at <a href="https://dftg.gov.in">https://dftg.gov.in</a> or scan the QR Code
निर्यातकर्ता का विवरण (Signatory Details)	Refer online at <a href="https://dftg.gov.in">https://dftg.gov.in</a> or scan the QR Code
लाभ श्रेणी (Benefit Category)	06662013
पिन संख्या (PIN Number)	INDIA/PPI/Y0001499A/M24

Note: This is a system-generated certificate. Authenticity is updated details of the IEC and Firm Name under Services on the official DFTG website (<https://dftg.gov.in>) by entering the IEC and Firm Name under Services on the website. You can also authenticate the certificate by scanning the QR code.

**GOVERNMENT OF INDIA**  
MINISTRY OF CORPORATE AFFAIRS  
Central Registration Centre

**Certificate of Incorporation**

[Pursuant to sub-section (2) of section 7 and sub-section (1) of section 8 of the Companies Act, 2013 (18 of 2013) and rule 18 of the Companies (Incorporation) Rules, 2014]

I hereby certify that AVIK ELECTRO PRIVATE LIMITED is incorporated on this Twenty third day of October Two thousand Twenty under the Companies Act, 2013 (18 of 2013) and that the company is limited by shares.

Corporate Identity Number of the company is U51909MP2020PT035431.  
The Permanent Account Number (PAN) of the company is AAUCA286F.  
The Tax Deduction and Collection Account Number (TAN) of the company is BFLA12496G.

Given under my hand at Manesar this Twenty seventh day of October Two thousand twenty.

Digital Signature Certificate  
Mr RAJENDR KUMAR  
DEPUTY REGISTRAR OF COMPANIES  
For and on behalf of the Jurisdictional Registrar of Companies  
Central Registration Centre

**Disclaimer:** This certificate only evidences incorporation of the company on the basis of documents and declarations of the applicant(s). This certificate is neither a license nor permission to conduct business or collect deposits or funds from public. Permission of sector regulator is necessary wherever required. Registration status and other details of the company can be verified on <https://mca.gov.in>

Mailing Address as per record available in Register of Companies office:  
AVIK ELECTRO PRIVATE LIMITED  
61 M.P. Rajya Karamchari Awas, Colony Mahal Gwalior City Centre, Gwalior,  
Gwalior, Madhya Pradesh, India, 474002

\* as issued by the Income Tax Department

**GOVERNMENT OF INDIA**  
MINISTRY OF CORPORATE AFFAIRS  
Central Registration Centre

**Certificate of Incorporation**

[Pursuant to sub-section (2) of section 7 and sub-section (1) of section 8 of the Companies Act, 2013 (18 of 2013) and rule 18 of the Companies (Incorporation) Rules, 2014]

I hereby certify that AVIK ELECTRO PRIVATE LIMITED is incorporated on this Twenty third day of October Two thousand twenty under the Companies Act, 2013 (18 of 2013) and that the company is limited by shares.

Corporate Identity Number of the company is U51909MP2020PT035431.  
The Permanent Account Number (PAN) of the company is AAUCA286F.  
The Tax Deduction and Collection Account Number (TAN) of the company is BFLA12496G.

Given under my hand at Manesar this Twenty seventh day of October Two thousand twenty.

Digital Signature Certificate  
Mr RAJENDR KUMAR  
DEPUTY REGISTRAR OF COMPANIES  
For and on behalf of the Jurisdictional Registrar of Companies  
Central Registration Centre

**Disclaimer:** This certificate only evidences incorporation of the company on the basis of documents and declarations of the applicant(s). This certificate is neither a license nor permission to conduct business or collect deposits or funds from public. Permission of sector regulator is necessary wherever required. Registration status and other details of the company can be verified on <https://mca.gov.in>

Mailing Address as per record available in Register of Companies office:  
AVIK ELECTRO PRIVATE LIMITED  
61 M.P. Rajya Karamchari Awas, Colony Mahal Gwalior City Centre, Gwalior,  
Gwalior, Madhya Pradesh, India, 474002

\* as issued by the Income Tax Department

**भारत सरकार**  
Government of India  
विपणन और मध्यम उद्यम विभाग  
Ministry of Micro, Small and Medium Enterprises

**UDYAM REGISTRATION CERTIFICATE**

UDYAM REGISTRATION NUMBER: UDYAM-MP-28-81116

NAME OF ENTERPRISE: AVIK ELECTRO PRIVATE LIMITED

TYPE OF ENTERPRISE*	Sl. No.	Classification Code	Enterprise Type	Classification Date
	1	1811-19	Micro	17/01/2024
	2	1811-31	Micro	06/03/2021
MANUFACTURING				

SOCIAL CATEGORY OF ENTREPRENEUR	Sl. No.	First Letter Numeration	Entre Type
	1	INDIAN	SMALL/ MEDIUM ENTERPRISE

NAME OF ENTERPRISE: AVIK ELECTRO PRIVATE LIMITED

Sl. No.	17	Name of Provision Building	M.P. Rajya Karamchari Awas
Sl. No.	18	Name of Provision Building	M.P. Rajya Karamchari Awas

OFFICIAL ADDRESS OF ENTERPRISE: 27 RAJYA KARAMCHARI AWAS COLONY, GWALIOR, GWALIOR, GWALIOR, MARRYA PRADESH, 474002

DATE OF INCORPORATION/REGISTRATION OF ENTERPRISE: 23/10/2022

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS: 23/10/2022

NATIONAL INDUSTRY CLASSIFICATION CODE(S)	Sl. No.	IC-1 Digit	IC-2 Digit	IC-3 Digit	Industry
	1	27	1811	18111	Manufacture of electrical machinery and apparatus, including transformers, and other electrical machinery and apparatus
DATE OF UDYAM REGISTRATION: 23/10/2022	* Head of enterprise should be resident of state of enterprise, the branch of the Government Enterprise will be created on per the permission of Ministry No. SA, 200612 dated 26.06.2006 issued to MoSME.				

For any assistance, 24x7 helpline: 1. District Industries Centre: GWALIOR (MARRYA PRADESH)  
2. MSME-EDO: (INDIA) (MARRYA PRADESH)

\* as issued by the Income Tax Department

**INTERNATIONAL BODY CERTIFICATION**  
Certificate

This is to certify that

**AVIK ELECTRO PVT. LTD.**  
27 Rajya Karamchari, Awas Colony, Pant Nagar, Gwalior (M.P.) - 474001 INDIA

Has been found in compliance with requirements of  
**ISO 9001 : 2015**  
Quality Management System

Scope of Certification  
Manufacturer and Importer of Led Light, Led Flood Light,  
Led Street Light, Led Tubelight, Led Bulbs, Led Panel, Led Solar Lights  
& All type of Decorative Lights.

Date of Issue : 29 January 2024  
Certificate Number : ICPQMS/IND/2024REGD  
Date of Expiry : 28 January 2027

1<sup>st</sup> Surveillance Audit: January 2025  
2<sup>nd</sup> Surveillance Audit: January 2026

\*Subject to successful completion of Surveillance Audits

**INTERNATIONAL BODY CERTIFICATION**  
IBC - Certification (UK) Limited, 10, Manser CF 1109  
E-mail: [certification@ibcglobal.com](mailto:certification@ibcglobal.com)

Branch Office: Bhopal (M.P.), Madhya Pradesh  
Gwalior (M.P.), Madhya Pradesh


# Manufacture



SMT Section



CNC Router



MI Section



Laser Printing Section



Street & Flood Light Assembling Section




Packaging Section



Aging



Product Testing / Production Line



Master Carton Check / Packaging

# 0.5W Night Lamp Plugii



ALSO AVAILABLE  
With Sensor



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	Finish Product Weight	Housing Type	Base Type
APEL 01	0.5	≥ 0.50	70 x 45	100 Grms	PC	B22 E27

COLOUR :

# 0.5W Night Lamp Plugii 7 in 1



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	Finish Product Weight	Housing Type	Base Type
APEL 05	0.5	≥ 0.50	70 x 45	100 Grms	PC	2 Pin Top

COLOUR :



# 0.5W Night Lamp Plugii

## 7 in 1



ALSO AVAILABLE

With Sensor



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	Finish Product Weight	Housing Type	Base Type
APEL 03	0.5	≥ 0.50	70 x 45	100 Grms	PC	2 Pin Top

COLOUR :



# 0.5W Night Lamp Plugii



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	Finish Product Weight	Housing Type	Base Type
APEL 04	0.5	≥ 0.50	70 x 45	100 Grms	PC	2 Pin Top

COLOUR :



## LED BULB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
AEPL3WSKLB	3W	≥ 0.9	2.5 KV	300	IP-20	Aluminium	B22 E27
AEPL5WSKLB	5W	≥ 0.9	4.0 KV	500			
AEPL7WSKLB	7W	≥ 0.9	4.0 KV	700			
AEPL10WSKLB	10W	≥ 0.9	4.0 KV	1000			
AEPL12WSKLB	12W	≥ 0.9	4.0 KV	1200			
AEPL15WSKLB	15W	≥ 0.9	4.0 KV	1500			
AEPL18WSKLB	18W	≥ 0.9	4.0 KV	1800			
AEPL20WSKLB	20W	≥ 0.9	4.0 KV	2000			

COLOUR : ○ ● ● ● ● ●



## ALL ROUNDER LED BULB 15W / 7W / 0.5WATT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	IP-Rating	Housing Type	Base Type
APEL 09	15/7/0.5	≥ 0.9	120X50	IP-20	ALUMINIUM	B22 E27

COLOUR : ○ ● ● ●



# UFO LED BULB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	Finish Product Weight	Housing Type	Base Type
APEL 07	7W	≥ 0.9	70 x 100	200 Grms	ALUMINIUM	B22 E27

**COLOUR :** ○ ● ● ● ● ●



# UFO LED BULB 3 IN 1



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (mm)	IP-RATING	Housing Type	Base Type
APEL 08	7W	≥ 0.9	70 x 100	IP-20	ALUMINIUM	B22 E27


**COLOUR :** ○ ● ○



WHITE

W/W

N/W



## T-BULB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE


440V range  
for 2 Hours

1 YEAR GUARANTEE


Product Code	Watt	Power Factor	IP-RATING	Housing Type	Base Type
APEL 10	10W	≥ 0.9	IP-20	PC	B22

COLOUR :

Multi Angle Rotation



Wider Light Spread



## T-BULB 30 WATT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE


440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	IP-RATING	Housing Type	Base Type
APEL 11	30W	≥ 0.9	IP-20	PC	B22

COLOUR :

Multi Angle Rotation



Wider Light Spread



# INVERTER BULB

## Emergency LED Bulb



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (MM)	Housing Type	Base Type	BATTERY BACK
APEL 12	10W	≥ 0.9	70 X 140	PC	B22	5 HOURS
APEL 13	12W	≥ 0.9	70 X 140			



# INVERTER BULB ( Turbo Charging )



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Size (CM)	Housing Type	Base Type	BATTERY BACK
APEL 14	12W	≥ 0.9	80 X 175	PC	B22	5 HOURS



# O SHAPE LED BULB

Emergency LED Bulb

<b>SMD</b>	AC 220-240V	IP20	CCT WH/YLW/RD GN/ BLU/PK/OR	4KV SURGE	440V range for 2 Hours	<b>1 YEAR GUARANTEE</b>
------------	----------------	------	-----------------------------------	-----------	---------------------------	-------------------------

Product Code	Watt	Power Factor	IP-RATING	Housing Type	Base Type
APEL 15 APEL 16	8W 15W	≥ 0.9 ≥ 0.9	<b>IP-20</b>	PC	<b>B22</b>

**COLOUR :** ○ ● ● ● ● ● ●



# FAN LED BULB

<b>SMD</b>	AC 220-240V	IP20	CCT WH/YLW/RD GN/ BLU/PK/OR	4KV SURGE	440V range for 2 Hours	<b>1 YEAR GUARANTEE</b>
------------	----------------	------	-----------------------------------	-----------	---------------------------	-------------------------

Product Code	Watt	Power Factor	IP-RATING	Housing Type	Base Type
APEL 17	30W	≥ 0.9	<b>IP-20</b>	PC	<b>B22 E27</b>

**COLOUR :** ○ ● ● ● ● ● ●



# HAMMER DIE CAST DOME LED BULB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	20W	≥ 0.9	4.0 KV	2000	IP-20	DIE CAST Aluminium	B22 E27
	30W	≥ 0.9	4.0 KV	3000			
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			
	60W	≥ 0.9	4.0 KV	6000			

COLOUR : ○ ●



# PC+AL DOME LED BULB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR : ○ ● ● ● ● ●



# EDGELIT ADJUSTABLE PENAL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR


4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Lumens	Cut Out	Lumen (lm)	IP-Rating	Housing Type
APEL 06	12w	≥ 0.9	3-4"	1320	IP-20	PC
	18w	≥ 0.9	3-6"	1980		
	24w	≥ 0.9	3-8"	2640		

COLOUR :



# TWIST & PLAY



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	8W	≥ 0.95	>4.0KV	1200	IP-20	80X50MM	FS	PC
	16W			1800		105X50MM	FS	

COLOUR :



White



Neutral White



Warm White



# SURFACE LED PANEL RING



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR

4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

AVAILABLE IN : ROUND & SQUARE SHAPE

Product Code	Watt	Product Type	Size : LxWxHxT <small>Dia x High x Thickness</small>	Mounting Size in mm	Weight gm
AD-106	8W	ROUND	117x33.5x1.85mm	98	42
	8W	SQUARE	117.5x117.5x33.5x1.8mm	93	50
	15W	ROUND	166x33.5x2mm	145	60
	15W	SQUARE	166.5x166.5x32.5x2mm	144	80
	22W	ROUND	220x33x2.5mm	198	90
	22W	SQUARE	220x220x32.5x2.2mm	200	95

COLOUR :



# PC BACKLITE LED PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR


4KV SURGE

440V range  
for 2 Hours

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type
AD-112	6W	≥0.95	4KV	540	IP-20	90X27MM	PC
	12W			1080		120X27MM	
	18W			1620		155X27MM	

COLOUR :



# PC BACKLITE LED PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	8W	≥ 0.95	≥ 4.0KV	640	IP-20	116x116x35 MM	4 Inch	PC
	12W			1080		144x144x35 MM	5 Inch	
	15W			1350		166x166x35 MM	6 Inch	
	22W			2000		218x218x35 MM	8 Inch	

COLOUR :



White



Neutral White



Warm White



# PC SLIM LED PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	8W	≥ 0.95	≥ 4.0KV	640	IP-20	116x116x35 mm	4 Inch	PC
	12W			1080		144x144x35 mm	5 Inch	
	15W			1350		166x166x35 mm	6 Inch	
	22W			2000		218x218x35 mm	8 Inch	

COLOUR :




White



Neutral White



Warm White



# DOUBLE COLOUR LED PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	3+3W	≥ 0.5	≥ 2.5KV	210	IP-20	104x104	3 Inch	PC
	6+3W			420		145x145	4 Inch	
	12+4W			840		195x195	6 Inch	

COLOUR :



# PC DOUBLE COLOUR PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	8W	≥ 0.95	>4.0KV	800	IP-20	116X116X35MM	4"	PC
	15W			1500		166X166X35MM	6"	

COLOUR :



# PROFILE LED PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	15W	≥0.95	>4.0KV	1500	IP-20	166X166X35MM	6"	PC

COLOUR :



# DEEP DOWNLITER



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (Inch)	Housing Type
AD-106	12W	≥0.95	>4.0KV	1200	IP-20	110X52MM	4"	PC
	18W			1800		142X56MM	5"	

COLOUR :



# 2X2 BACKLITE PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Size (Inch)	Housing Type
AD-107	24W	≥0.95	≥ 4 KV	2400	IP-20	300x300x35	12x12 Inch	Aluminium
	48W			4800		600x600x35	24x24 Inch	

COLOUR : ○ ● ● ● ● ●



# 2X4 BACKLITE PANEL



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Size (Inch)	Housing Type
AD-107	48W	≥0.95	≥ 4 KV	4800	IP-20	300X1200	24 X 48	Aluminium

COLOUR : ○ ● ● ● ● ●



# PC MOVABLE REFLECTOR COB



SMD	AC 220-240V	IP20	CCT WH/YLW/RD GN/ BLU/PK/OR	 180°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	-----------------------------------	---	-------	------------------

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
	3W	≥ 0.95	4KV	360	IP-20	70X34MM	40MM	PC
	6W			540		106X55MM	75MM	

COLOUR : 



# RAINBOW DEEP JUNCTION

SMD	AC 220-240V	IP20	CCT WH/YLW/RD GN/ BLU/PK/OR	 180°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	-----------------------------------	---	-------	------------------


Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
	7W	≥ 0.95	4KV	88 X 45	IP-20	104x104	2.5"	PC
	8W			110 X 45		145x145	2.5"	
	12W			115 X 45		195x195	2.5"	
	15W			140 X 45				

COLOUR : 



8w+8w

12w+12w



15w+15w

# LED CONCEALED



GLOW



SPARKEL



MIRAGE



ARC



COMMET




BRIGHT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :      

# ACRYLIC DOWN LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type
	8W	≥ 0.95	4KV	880	IP-20	124X40MM	ALLUMINIUM

COLOUR :



# DEEP DOWN LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type
	8W	≥ 0.95	4KV	880	IP-20	124X40MM	ALLUMINIUM

COLOUR :



# PC STRIKER



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	3W	≥ 0.95	4KV	360	IP-20	60X17MM	40MM	PC
	5W			540		70X17MM	75MM	

COLOUR :



# GLORY SURFACE



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Housing Type
AD-112	6W	≥ 0.95	4KV	610	IP-20	85X44 MM	PC
	12W			1320		140X44 MM	

COLOUR :



# UNO SPOT LED

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	2W	≥ 0.95	3KV	880	IP-20	42X14MM	32MM	PC
	2W			1650		42X14MM	32MM	

COLOUR :



# SPOT LED

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	2W	≥ 0.95	3KV	880	IP-20	42X14MM	32MM	PC
	2W			1650		42X14MM	32MM	

COLOUR :



Lens Type

Reflector Type

# DEEP SHINE JUNCTION



AC  
220-240V

IP20

CCT  
WH/YLW/RD



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	8W	≥ 0.95	4KV	880	IP-20	85X65MM	55MM	PC
	15W			1650		140X65MM	55MM	

COLOUR :



# PC MOVABLE COB



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80


1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
AD-112	4W	≥ 0.95	4KV	360	IP-20	70X40MM	40MM	PC
	6W			540		106X47MM	75MM	
	12W			1080		128X55MM	98MM	

COLOUR :



# TRIMLESS COB LIGHT


SMD | AC 220-240V | IP20 | CCT WH/YLW/RD GN/ BLU/PK/OR |  180° | Ra 80 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type
AD-802	7W	≥0.5	700	≥2.5KV	IP-20	65x58 mm	53.5 mm	Aluminium
	12W	≥0.9	1200	≥4KV		84x78 mm	74 mm	
	18W		1800			102x98 mm	90 mm	

COLOUR :



# TRIMLESS DEEP COB LIGHT

SMD | AC 220-240V | IP20 | CCT WH/YLW/RD GN/ BLU/PK/OR |  180° | Ra 80 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type
AD-802	7W	≥0.5	700	≥2.5KV	IP-20	65x58 mm	53.5 mm	Aluminium
	12W	≥0.9	1200	≥4KV		84x78 mm	74 mm	
	18W		1800			102x98 mm	90 mm	

COLOUR :



Z Black

Rose Gold

Red Wine

# TINI DEEP LED LIGHT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Size (mm)	Cut-Out Size (mm)	Housing Type
	3W	≥ 0.95	4KV	330	IP-20	80X23MM	40MM	PC
	3W			330		80X23MM	40MM	

COLOUR :



# CYLINDER COB LIGHT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type
	10W	≥ 0.9	1000	≥ 2.5KV	IP-20	57x89mm	NA	Aluminium
	20W		2000			57x140mm	NA	

COLOUR :



ROSE GOLD

Z -BLACK

# T5 LED TUBE LIGHT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
APEL 06	5w	≥ 0.9	4.0 KV	3000	IP-20	Aluminium
	10W	≥ 0.9	4.0 KV	4000		
	20W	≥ 0.9	4.0 KV	5000		
	24W	≥ 0.9				
	36W	≥ 0.9				
	48W	≥ 0.9				

COLOUR :



# T5 LED TUBE LIGHT (3 IN 1)



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
APEL 06	20W	≥ 0.9	4KV	100LM/w	IP-20	Aluminium

COLOUR :



# TIRANGA TUBE LIGHT



AC  
220-240V


IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE



Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
APEL 06	5w	≥ 0.9	4.0 KV	500	IP-20	Aluminium
	10W	≥ 0.9	4.0 KV	1000		
	20W	≥ 0.9	4.0 KV	2000		

COLOUR : ●○○●

# Aluminum LED Tube Light



AC  
220-240V


IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE



Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
APEL 06	40W	≥ 0.9	4KV	100LM/w	IP-20	Aluminium

COLOUR : ○●●●●●

# CRONO FLOOD LIGHT DITED

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	30W	>0.9	6KV	3000	IP-66	ALLUMINIUM
	50W	>0.9	6KV	5000		
	150W	>0.9	6KV	15000		
	200W	>0.9	6KV	20000		

COLOUR :



# CRONO FLOOD LIGHT LENS

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	30W	>0.9	6KV	3000	IP-66	ALLUMINIUM
	50W	>0.9	6KV	5000		
	150W	>0.9	6KV	15000		
	200W	>0.9	6KV	20000		

COLOUR :



# HYNO LENS STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	24W	>0.9	6KV	2400	IP-66	ALLUMINIUM
	36W	>0.9	6KV	3600		
	50W	>0.9	6KV	5000		
	100W	>0.9	6KV	10000		

COLOUR :



# QUBA LENS STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	24W	>0.9	6KV	3000	IP-66	ALLUMINIUM
	36W	>0.9	6KV	5000		
	50W	>0.9	6KV	15000		
	100W	>0.9	6KV	20000		

COLOUR :



# STEREO LENS STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	24W	>0.9	6KV	2400	IP-66	ALLUMINIUM
	36W	>0.9	6KV	3600		
	50W	>0.9	6KV	5000		
	100W	>0.9	6KV	10000		

COLOUR :



# SLIMO LENS STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type
	24W	>0.9	6KV	2400	IP-66	ALLUMINIUM
	36W	>0.9	6KV	3600		
	50W	>0.9	6KV	5000		

COLOUR :



# SOLAR STREET LIGHT ( INDIAN ) ALL IN ONE



DC  
12v

IP-60

CCT  
WHITE



Ra 80

2 YEARS WARRANTY

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# SOLAR STREET LIGHT SEMI INTREGRATED



DC  
12v

IP-60

CCT  
WHITE



Ra 80

2 YEARS WARRANTY

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# SOLAR STREET LIGHT (SEMI INTREGRATED)

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :

# SOLAR STREET LIGHT (SEMI INTREGRATED)

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :

# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :

# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			



COLOUR :

# GM MODEL FLOOD LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# SOLAR STREET LIGHT (IMPORTED)

## ALL IN ONE

SMD	DC 12v	IP-60	CCT WHITE	 180°	Ra 80	2 YEARS WARRANTY
-----	--------	-------	-----------	--	-------	------------------

Product Code	Watt	SOLAR PANEL	BATTERY	NO OF LED	CHARGING TIME	WORKING TIME	METERIAL
APEL 06	30W	6V/4.5W	3.2V/4AH LIPO4	48	8 - 10 HOURS	12-15 HOURS	PC+ALL
	60W	6V/12W	3.2V/6AH LIPO4	96			
	90W	6V/15W	3.2/8AH LIPO4	140			

COLOUR :



# SOLAR FLOOD LIGHT (IMPORTED)

SMD	DC 12v	IP-60	CCT WHITE	 180°	Ra 80	2 YEARS WARRANTY
-----	--------	-------	-----------	--	-------	------------------

Product Code	Watt	SOLAR PANEL	BATTERY	NO OF LED	CHARGING TIME	WORKING TIME	METERIAL
APEL 06	40W	6V/6W	5AH	97	8 - 10 HOURS	12-15 HOURS	PC+ALL
	100W	6V/12W	10AH	205			
	200W	6V/15W	12AH	918			

COLOUR :



# ECO MODEL FLOOD LIGHT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			



COLOUR :

# GM MODEL FLOOD LIGHT



AC  
220-240V

IP20


CCT  
WH/YLW/RD  
GN/BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			



COLOUR :

# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# HYNO SERIES STREET LIGHT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			



COLOUR :

# SPOT LED

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# HOLE STREET LIGHT FITMENT

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :

# DOOM CONCEALED

SMD

AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# HOLE STREET LIGHT FITMENT



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR



Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :



# DOOM CONCEALED



AC  
220-240V

IP20

CCT  
WH/YLW/RD  
GN/ BLU/PK/OR




Ra 80

1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Surge Protection	Lumen (lm)	IP-Rating	Housing Type	Base Type
APEL 06	30W	≥ 0.9	4.0 KV	3000	IP-20	Aluminium	B22 E27
	40W	≥ 0.9	4.0 KV	4000			
	50W	≥ 0.9	4.0 KV	5000			

COLOUR :




# LED MOVABLE COB LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type
AD-803	7W	≥ 0.9	700	≥ 2.5 KV	IP-20	87x55mm	71mm	Aluminium
	12W		1200	≥ 4 KV		111x71mm	91mm	
	18W		1800			140x80mm	115mm	



# CYLINDER COB LED LIGHT

SMD | AC 220-240V | IP20 | CCT WH/YLW/RD GN/ BLU/PK/OR |  180° | Ra 80 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Cut out Size (mm)	Housing Type
AD-805	10W	≥ 0.9	1000	≥ 2.5KV	IP-20	57x89mm	NA	Aluminium
	20W		2000			57x140mm	NA	




ROSE GOLD

Z-BLACK

COLOUR :  

# LED MOVABLE COB LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-806	2W	≥0.5	140	≥2.5KV	IP20	45x93x40mm	AL
	4W		280			83x93x40mm	
	6W		420			133x93x40mm	
	8W		640			183x93x40mm	




2 EYE



4 EYE




6 EYE



8 EYE

# CYLINDER COB LED LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-807	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL
	4W		280			110x80x38mm	
	6W		420			169x80x42mm	
	8W		560			210x80x45mm	



2 EYE



4 EYE




6 EYE



8 EYE

# LED MOVABLE COB LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-806	2W	≥0.5	140	≥2.5KV	IP20	45x93x40mm	AL
	4W		280			83x93x40mm	
	6W		420			133x93x40mm	
	8W		640			183x93x40mm	



4+1 EYE




6+1 EYE




8+1 EYE


# CYLINDER COB LED LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE


Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-807	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL
	4W		280			110x80x38mm	
	6W		420			169x80x42mm	
	8W		560			210x80x45mm	



2 WAY



4 WAY




2 WAY



4 WAY


# LED MOVABLE COB LIGHT




SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-806	2W	≥0.5	140	≥2.5KV	IP20	45x93x40mm	AL
	4W		280			83x93x40mm	
	6W		420			133x93x40mm	
	8W		640			183x93x40mm	


# CYLINDER COB LED LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-807	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL
	4W		280			110x80x38mm	
	6W		420			169x80x42mm	
	8W		560			210x80x45mm	




# LED MOVABLE COB LIGHT


SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Life


Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Housing size	Base Dia (mm)	Housing Type
AD-819	3W	≥0.5	270	≥2.5KV	IP20	40x75mm	60x106mm	AL
	6W		540			50x93mm	60x117mm	
	9W		810			60x104mm	60x125mm	
	16W	≥0.9	1440	≥4.0KV		76x141mm	80x146mm	
	30W		2700			97x174mm	100x170mm	
	50W		4500			155x188mm	122x190mm	



# CYLINDER COB LED LIGHT

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-818	10W	≥0.5	900	≥2.5KV	IP20	133x133mm	AL
	20W		2500			136x139mm	
	30W	≥0.9	3500	≥4.0KV		164x160mm	
	50W		4500			182x183mm	




# DEX 3 IN 1


All in one lighting for every mood

SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE

Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-806	2W	≥0.5	140	≥2.5KV	IP20	45x93x40mm	AL
	4W		280			83x93x40mm	
	6W		420			133x93x40mm	
	8W		640			183x93x40mm	



# LED STRIP LIGHT


SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 |  120° | 24 LUMENS/LED | Ra 90 | 1 YEAR GUARANTEE


Product Code	Watt	Power Factor	Lumen (lm)	Surge Protection	IP-Rating	Size (mm)	Housing Type
AD-807	2W	≥0.5	140	≥2.5KV	IP20	80x74x35mm	AL
	4W		280			110x80x38mm	
	6W		420			169x80x42mm	
	8W		560			210x80x45mm	



# Current LED

Save The Power Of Earth





rent LED

Save The Power Of Earth



Be **VOCAL**  
For **LOCAL**

Proudly Supporting  
Aatmanirbhar Bharat

**Torrent** LED  
*Save The Power Of Earth*

## AVIK ELECTRO PVT. LTD.

27 RAJYA KARAMCHARI AWAS colony GWALIOR( M.P) 474001

Customer Care No. +91-7581800644, 8269830644

Office : 07513559476

[www.avikelectro.com](http://www.avikelectro.com) / [info@avikelectro.com](mailto:info@avikelectro.com)

**Dealer Distributor Penal**